

# United States Patent and Trademark Office

ENITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box. 1450 Advandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO. CONFIRMATION NO.	
09/802,932	03/12/2001	Marco Francia	Marco Francia Q-63527	
7590 12/05/2003			EXAMINER	
SUGHRUE, MION, ZINN,			SHERRER, CURTIS EDWARD	
MACPEAK & SEAS, PLLC 2100 PENNSYLVANIA AVENUE, N.W.			ART UNIT	PAPER NUMBER
WASHINGTON, DC 20037-3213			1761	

DATE MAILED: 12/05/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

	·	Applica	tion No.	Applicant(s)				
Office Action Summary		09/802,	,932	FRANCIA, MARCO				
		Examin	er	Art Unit				
		Curtis E	. Sherrer, Esq.	1761				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SH THE I - Exter after - if the - if NC - Failu - Any I	ORTENED STATUTORY PERIOD MAILING DATE OF THIS COMMUNisions of time may be available under the provision SIX (6) MONTHS from the mailing date of this comperiod for reply specified above is less than thirty a period for reply is specified above, the maximum or to reply within the set or extended period for reply received by the Office later than three months ad patent term adjustment. See 37 CFR 1.704(b).	NICATION.  IS of 37 CFR 1.136(a). In no imunication.  (30) days, a reply within the statutory period will apply and by will, by statute, cause the a	event, however, may a reply be to tatutory minimum of thirty (30) da I will expire SIX (6) MONTHS fror pplication to become ABANDON	imely filed  sys will be considered timely.  n the mailing date of this communication.  ED (35 U.S.C. § 133).				
1)	Responsive to communication(s) filed on <u>07/29/03</u> .							
2a)[_	his action is FINAL. 2b)⊠ This action is non-final.							
3)□	3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
5)□ 6)⊠ 7)□	4)  Claim(s) 1-8 is/are pending in the application. 4a) Of the above claim(s) 7 and 8 is/are withdrawn from consideration.  5)  Claim(s) is/are allowed.  6)  Claim(s) 1-6 is/are rejected.  7)  Claim(s) is/are objected to.  8)  Claim(s) are subject to restriction and/or election requirement.							
Applicati	on Papers							
<ul> <li>9) The specification is objected to by the Examiner.</li> <li>10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).</li> <li>11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.</li> </ul>								
Priority under 35 U.S.C. §§ 119 and 120								
* \$ 13)\ A si 3 a 14)\ A	Acknowledgment is made of a clair All b) Some * c) None of:  1. Certified copies of the priority 2. Certified copies of the priority 3. Copies of the certified copies application from the Internation see the attached detailed Office activation and the second communication of the foreign lands of the certified copies application from the Internation of the second communication of the foreign lands of the foreign lands of the second communication of the foreign lands of the certified communication of the foreign lands of the second communication of the first second communication of the first second communication of the second communication of the first second communication of the second communic	y documents have be y documents have be s of the priority docur onal Bureau (PCT R on for a list of the ce for domestic priority ed in the first senten- anguage provisional a for domestic priority	een received. een received in Applica ments have been receiv rule 17.2(a)). rtified copies not receiv under 35 U.S.C. § 119 ce of the specification of application has been re under 35 U.S.C. §§ 120	tion No  yed in this National Stage  yed.  (e) (to a provisional application) or in an Application Data Sheet.  ceived.  0 and/or 121 since a specific				
Attachmen			🗖 .					
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review ( nation Disclosure Statement(s) (PTO-1449)		· —	y (PTO-413) Paper No(s) Patent Application (PTO-152)				

Application/Control Number: 09/802,932

Art Unit: 1761

## **DETAILED ACTION**

#### Election/Restrictions

Claims 7 and 8 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected processes, there being no allowable generic or linking claim.

Election was made without traverse.

## Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-6 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The preamble of the claims does not utilize one of the commonly accepted phrases "consisting," "consisting essentially" or "comprising."

Claim 1 is indefinite because there is no antecedent basis for the phrases "the fermenting liquid," "the mass of liquid" and "the layer of marc."

Claim 3 is indefinite because the scope of the phrase "substantially cylindrical" is unknown.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Application/Control Number: 09/802,932

Art Unit: 1761

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 4 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Francia (USPN 6,279,457) in view of Kalina (USPN 4,743,451).

Francia teaches the claimed apparatus except for an uplift pipe that has oxygen injecting means, a second outlet that feeds liquid into the main vat, and selective valve means allowing for the control of the first and second outlets. See Figures 1-2 and the description of said figures. Kalina teaches the well known method of injecting oxygen into fermenting must in a single vat, whereby in a closed circuit, an air lift pump is injected with oxygen, which is dissolved by the time the must is returned to the bottom of the vat. (Col. 1, line 66 to col. 2, line 11). It would have been obvious to those of ordinary skill in the art to inject oxygen in a recycle pipe as shown by Kalina in the process of Francia so that the oxygen will be fully dissolved in the circulating must.

Neither of the above cited references teaches whether the oxygen is injected before or after a control valve. The reversal or rearrangement of parts is *prima facie* obvious. See *In re Gazda*, 219 F.2d 449, 104 USPQ 400 (CCPA 1963); *In re Japiske*, 181 F.2d 1019, 86 USPQ 70 (CCPA 1950); *In re Kuhle*, 526 F.2d 553, 188 USPQ 7 (CCPA 1975). It would have been obvious to those of ordinary skill in the art to inject oxygen either prior to, or after, the control valve because the reversal or rearrangement of parts is *prima facie* obvious.

Application/Control Number: 09/802,932

Art Unit: 1761

200

Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Francia (USPN 6,279,457) in view of Kalina (USPN 4,743,451) in further view of applicant's admissions (Page 5 of instant specification).

Both Francia and Kalina are silent with respect to the injector means of claim 2.

Applicant admits that these valves are well known in the art, such as that disclosed in T097A000749 (published Feb. 25, 1999 as DE019837201A1). It would have been obvious to those of ordinary skill in the art to use the well known valves in the apparatus of Francia in view of Kalina as these valves are well known and used in the wine art.

Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Francia (USPN 6,279,457) in view of Kalina and in further view of Leedham *et al.* (USPN 4,652,451)("Leedham").

Both Francia and Kalina are silent with respect to the use of a control unit. Leedham teaches the control alcoholic fermentations whereby oxygen is injected in to recycle pipe 5 via pump 6. (Fig. 1 and description). The central controller, shown in Fig. 2, controls the rate of oxygenation. Case law holds that automating a manual process is *prima facie* obvious. *In re Venner*, 262 F.2d 91, 120 USPQ 193, 194 (CCPA 1958) (The court held that broadly providing an automatic or mechanical means to replace a manual activity which accomplished the same result is not sufficient to distinguish over the prior art.). It would have been obvious to those of ordinary skill in the art to control the rate of oxygenation of Francia in view of Kalina as it is more efficient.

### Conclusion

Claim 3 is allowable over the prior art.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Curtis E, Sherrer, Esq. whose telephone number is 703-308-3847. The examiner can normally be reached on Tuesday-Friday, 8AM-6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Milton Cano can be reached on 703-308-3959. The fax phone number for the organization where this application or proceeding is assigned is 703-305-3602.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 793,308-0661.

Curtis E. Sherrer, Esq. Primary Examiner Art Unit 1761